
Specifications for Tension Extra Large Screen

Motor Speed	17 rpm			
Operating Temperature	120 deg. Celsius (thermostat cut off motor)			
Fabric Roll Speed	4.8 metres per minute			
Gain	1.2			
Viewing Angle	160 degrees viewing cone			
Screen Material	Matte white vinyl with flame retardant			
	(Grey fabrics are also available)			
External Remote Control	Normally open, momentary contact closure (voltage free)			
Infrared Remote Control Distance	15 metres and below			
Sensor Coverage	160 deg (horizontal) 150 deg. (vertical)			
Power Consumption	121W			
Current	1.2 or 0.64 Amperes			
Voltage	110-120VAC or 220- 240VAC , 50/60 Hz			



TEN Series (Motorized Tensioned Projection Screen)									
	Includes infrared re	emote control, electr	onic screen control &	universal bracket kit					
Format	Model	Diagonal (inches / cm)	Viewing Area W x H (cm)	Casing Length (cm)	Total Height (cm)				
4:03	TEN-1612V	80" / 204	163 x 122	207	189				
	TEN-1814V	90" / 229	183 x 137	227	204				
(4 Sided Black Borders)	TEN-2015V	100" / 254	203 x 152	247	219				
	TEN-2217V	110" / 279	224 x 168	268	235				
	TEN-2418V	120" / 305	244 x 183	288	250				
	TEN-2721V	135" / 343	274 x 206	318	273				
	TEN-3023V	150" / 381	305 x 229	349	296				
	TEN-3627V	180" / 457	366 x 274	440	341				
			Viewing Area						
Format	Model	Diagonal (inches / cm)	W x H (cm)	Casing Length (cm)	Total Height (cm)				
16:09	TEN-1609H	70" / 178	155 x 87	199	154				
	TEN-1810H	80" / 203	178 x 100	222	167				
(4 Sided Black Borders)	TEN-2011H	92" / 234	203 x 114	247	181				
	TEN-2212H	100" / 254	221 x 124	265	191				
	TEN-2414H	110" / 279	244 x 137	288	204				
	TEN-2715H	123" / 312	272 x 152	316	219				
	TEN-2816H	130" / 330	288 x 162	332	229				
	TEN-3319H	150" / 381	332 x 187	376	254				
Format	Model	Diagonal (inches / cm)	Viewing Area W x H (cm)	Casing Length (cm)	Total Height (cm)				
16:10	TEN-1509W	70" / 178	150 x 93	194	154				

	TEN-1710W	81" / 206	175 x 109	219	167	
(4 Sided Black Borders)	TEN-2012W	95" / 241	205 x 129	249	181	
	TEN-2113W	100" / 254	215 x 135	259	191	
	TEN-2314W	110" / 279	236 x 147	280	204	
	TEN-2717W	127" / 323	274 x 171	318	217	
	TEN-3220W	145" / 368	312 x 195	356	229	